



# PUBP 26-12



## 12 Volt, 26 Amp Hour Battery

### PHYSICAL SPECIFICATIONS

Nominal Voltage		12V
Nominal Capacity (20HR)		26Ah
Dimensions	Length	166 +/-1mm(6.54 inches)
	Width	176 +/-1mm(6.89 inches)
	Height	128 +/-2mm(4.96 inches)
	Total Height	128 +/-2mm(4.96 inches)
Weight		Approx. 8.7 kg (20.0lbs)
Standard Terminal		B1-M5 bolt & nut

### ELECTRICAL SPECIFICATIONS

Capacity	20 hour rate (0.35A)	26.0 Ah	Max. Discharge Current (5 sec.)	150A	
	10 hour rate (0.63A)	23.8 Ah		Cycle	Initial Charging Current less than 7.8A Voltage 14.40V ~ 15.00V at 20°C(68°F) Temp. Coefficient -30mV/°C
Capacity affected by Temperature	5 hour rate (1.12A)	21.6 Ah	Constant Voltage Charge		Standby
	1 hour rate (4.2A)	15.6 Ah		Initial Charging Current less than 7.8A Voltage 1 3.50V ~ 13.80V at 20°C (68°F) Temp. Coefficient -20mV/°C	
	40°C(104°F)	105%			
20°C(68°F)	100%				
0°C(32°F)	85%				
Internal Resistance Fully charged battery (20°C, 68°F) 10milliohms					



### Dimensions (mm):+/-mm

